

Vision Recon

1080p PTZ Streaming Webcam with 20x Zoom



Stream your location in amazing 1080p
Ready to plug into any broadband using 100Mbit Ethernet
Programmable Site scan to give a tour of spots of interest
340° Pan. 100° Tilt and a 60.4° wide lens with 20x zoom gives

IP68 rated all-weather enclosure

Introducing the Vision Recon. Want to show off your popular beach destination? Have a new marquee construction project you want to promote to prospective clients? This is the perfect

live webcam to bring any scene to life on the internet. The housing is outdoor ready utilizing an impact resistant polycarbonate enclosure that is impervious to water penetration.

Vision Recon delivers excellent image quality and feature capability to meet the demanding needs of streaming video. With a native 2.1 Megapixel resolution (1920 x 1080) and a 20x optical zoom lens which has a Pan/Tilt mechanism that is both fast and precise, you can amazing video even when in motion. The feed is sent through the sophisticated on-board Image Processor which results in a crisp, clear video stream. The Vision Recon also features exceptional low-light performance and advanced, customizable image quality controls and settings which make it very effective in some of the most challenging installation locations.



| Vision Recon Features | | |
|---|---|--|
| 20x Optical Zoom with Fast and Precise Pan/Tilt Mechanism | Smart Shade Control and Auto Gain Control Limit | |
| 2.1 Megapixel (Native 1920 x 1080 Full HD Resolution) | Superb Low Light Performance | |
| Advanced Image Processor Helps Maximize Image Quality and Minimize Power Consumption | | |
| Powerful Network Processor Allows Simultaneous Streaming of M-JPEG and H.264 Codecs in Multiple Resolutions | | |

Robust, Streaming Systems for any purpose

Erdman Vision Systems are suitable for a wide range of applications, including construction site monitoring & documentation, promotional, beach, wildlife, weather and venue promotion.

Construction





Promotional

ROGERS PLACE LIVE VIEW - SKY CAMERA



Wildlife, and Weather





One or more streaming cameras on AC or Solar Power



Server ingests streams from camera



Erdman Server Platform



Server Broadcasts video to any number of users



Embed the stream on your site for your viewers, or view on Erdmans HTML5 desktop and mobile slideshows

Technical Specifications - Vision Recon

| Overall System Spec | | |
|---------------------|---|--|
| Housing | Dim: 14.94"(L) x 11.66"(W) x 13.37"(H) Material: UV stable polycarbonate Weatherproofing: IP68 rated Color: White Upgrades: Cold weather package adds a heater/blower and foam insulation (see below) | |
| Mount | Aluminum Pole, Wall, or Parapet Upgrades: non-penetrating roof mounts available (see below) | |
| Power Input | 100-240v AC input @ 0.25A 3 prong plug with 8ft cord Upgrades: Solar power kits available (system can be powered by 12v regulated DC input) | |
| Internet | 100Mbit Ethernet port Upgrades: WiFi point-to-point kits available WiFi client kits available Cellular Data modems and plans are available | |

| | Camera Specs |
|--------------------------|---|
| Video Size | Video size - 1920 x 1080 pixels |
| Sensor Format | Video Sensor Format - 1/3 Type CMOS |
| PTZ Range | 340° Pan range (±170°) 100° Tilt range (-90° to +10°) |
| Video Aspect Ratio | Video aspect ratio - 16:9 |
| Horizontal Viewing Angle | Horizontal View Angle - 60.4° - 3.2°(20x zoom) |
| Vertical Viewing Angle | Vertical View Angle - 35.1° - 1.8°(20x zoom) |
| Auto Features | Auto Focus & Auto Exposure |
| Filters | Auto IR Cut filter |
| Video Codec | Video Format - H.264 or MJPEG |
| Ports | 100Mbit Ethernet port 3.5mm Mono Audio Input Upgrades: add a microphone input to add audio to your video feed |
| Power | Ultra low power consumption at only 8.6W |

Drawings and Dimensions

